Manual de Aprovisionamiento

Manual de Aprovisionamiento Tarjeta KPC 650



Gerencia de Desempeño de Productos y Servicios 07 de Septiembre 2005 Realizado por: Augusto Alcalá





ÍNDICE

- 1. Consideraciones para la Instalación
- 2. Requerimientos del Sistema
- 3. Instalación del Passport Navigator
- 4. Aprovisionamiento de la Tarjeta KPC 650





1.- Consideraciones para la instalación

Antes de iniciar el aprovisionamiento de la tarjeta Kyocera KPC 650 para el acceso a datos, se deben tener las siguientes consideraciones:

• Verifique que se tenga usuario y password. (<u>1234567@cantv.net</u> y clave de datos suministrada por la Movilnet)





2.- Requerimientos del Sistema

Puertos	Slot PCMCIA
Dispositivo	CD-ROM (sólo para instalación)
Procesador	Pentium 500 Mhz o superior
Memoria	32 MB mínimo
Espacio en disco	14 MB mínimo
Sistema Operativo	Windows 2000 o XP





3.- Instalación del Passport Navigator

1.- Introduzca el cd de instalación Passport Navigator que viene en el empaque de la tarjeta KPC 650, si no comienza la instalción automáticamente ubique el archivo **Setup.exe** y haga doble click.









Next>

Cancel

PASSPORT

3.- Instalación del Passport Navigator

2.- Seleccione el lenguajede su preferencia.Presione OK

3.- Se desplegará un asistente para instalación.Presione Next



3.- Instalación del Passport Navigator

4.- Lea las condiciones de la licencia. Presione aceptar.

2 Construction for Control and Control and Control Control and Control Cont		
icense Agreement		
Please read the following important infor	mation before continuing.	K
Please read the following License Agree agreement before continuing with the ins	ement. You must accept the terms of this stallation.	
End-User License Agreement for K Software for Desktop Use Only	yocera Wireless Corp. ("Kyocera")	
IMPORTANT - YOU SHOULD CA	REFULLY READ THE FOLLOWING	
TERMS AND CONDITIONS BEF	ORE USING THIS SOFTWARE. THIS	
TERMS AND CONDITIONS BEFO LICENSE AGREEMENT CONSTR	ORE USING THIS SOFTWARE. THIS FUTES A LEGAL AGREEMENT	
TERMS AND CONDITIONS BEF LICENSE AGREEMENT CONSTIT BETWEEN YOU, THE END USER,	ORE USING THIS SOFTWARE. THIS IUTES A LEGAL AGREEMENT , AND KYOCERA.	
TERMS AND CONDITIONS BEF LICENSE AGREEMENT CONSTIT BETWEEN YOU, THE END USER, INSTALLING THE SOFTWARE C	ORE USING THIS SOFTWARE. THIS IUTES A LEGAL AGREEMENT , AND KYOCERA. DR USING ANY PART OF THE A COEPTA NGE OF THESE TERMS	
TERMS AND CONDITIONS BEFO LICENSE AGREEMENT CONSTIT BETWEEN YOU, THE END USER, INSTALLING THE SOFTWARE O SOFTWARE INDICATES YOUR A	ORE USING THIS SOFTWARE. THIS IUTES A LEGAL AGREEMENT , AND KYOCERA. DR USING ANY PART OF THE ACCEPTANCE OF THESE TERMS NOT ACCEPTE DO NOT INSTALL	
TERMS AND CONDITIONS BEFO LICENSE AGREEMENT CONSTIT BETWEEN YOU, THE END USER, INSTALLING THE SOFTWARE O SOFTWARE INDICATES YOUR A AND CONTRACT SOFTWARE OF THOMS IF YOU DO NOT COMPUTED IN THE SOFTWARE OF TH	ORE USING THIS SOFTWARE. THIS IUTES A LEGAL AGREEMENT , AND KYOCERA. DR USING ANY PART OF THE ACCEPTANCE OF THESE TERMS NOT ACREE DO NOT INSTALL	
TERMS AND CONDITIONS BEFO LICENSE AGREEMENT CONSTIT BETWEEN YOU, THE END USER, INSTALLING THE SOFTWARE O SOFTWARE INDICATES YOUR A AND CONTRACT TOOLS IF YOU DO N COCEPT THE AGREEMENT C I go not accept the agreement	ORE USING THIS SOFTWARE. THIS IUTES A LEGAL AGREEMENT , AND KYOCERA. DR USING ANY PART OF THE ACCEPTANCE OF THESE TERMS NOT ACREE DO NOT INSTALL	
TERMS AND CONDITIONS BEFO LICENSE AGREEMENT CONSTIT BETWEEN YOU, THE END USER, INSTALLING THE SOFTWARE O SOFTWARE INDICATES YOUR A AND CONTRACT THOMS IF YOU DO N COCEPT THE Agreement C I do not accept the agreement	ORE USING THIS SOFTWARE. THIS TUTES A LEGAL AGREEMENT , AND KYOCERA. DR USING ANY PART OF THE ACCEPTANCE OF THESE TERMS NOT A CREE DO NOT INSTALL	
TERMS AND CONDITIONS BEFO LICENSE AGREEMENT CONSTIT BETWEEN YOU, THE END USER, INSTALLING THE SOFTWARE O SOFTWARE INDICATES YOUR A AND CONTRACT FOR A CONTRACT OF THE CONTRACT OF THE AGREEMENT CONTRACT OF THE AGREEMENT	ORE USING THIS SOFTWARE. THIS TUTES A LEGAL AGREEMENT , AND KYOCERA. DR USING ANY PART OF THE ACCEPTANCE OF THESE TERMS NOT A CREE DO NOT INSTALL	





3.- Instalación del Passport Navigator

5.- Seleccione la ruta en la cual desea instalar el Software, sino utilice la ruta por defecto.

🖥 Setup - Kyocera Passport Navigator 2			
Select Destination Location Where should Kyocera Passport Navigator 2 be	e installed?		
Setup will install Kyocera Passport Na	vigator 2 into th	e following folder.	
To continue, click Next. If you would like to sel	ect a different f	older, click Brows	
Program Files\Kyocera Wireless Corp\KPC650	\Passport Navi	gator 2 Brow	wse
At least 8.4 MB of free disk space is required.			•
inglish			
	< <u>B</u> ack	<u>N</u> ext >	Cancel



3.- Instalación del Passport Navigator

6.- Seleccione el nombre del acceso directo del Software, sino utilice el nombre por defecto.

Setup - Kyocera Passport Navigator	2	
Select Start Menu Folder Where should Setup place the program	r's shortcuts?	
Setup will create the program	's shortcuts in the following Start	Menu folder.
To continue, click Next. If you would li	ke to select a different folder, clic	k Browse
Kyocera Passport Navigator 2]	Browse
alish	<u>M</u>	





3.- Instalación del Passport Navigator

7.- Seleccione la opción de acceso directo desde el escritorio si lo desea.

Presione "Next"







3.- Instalación del Passport Navigator

8.-Presione "Install"





3.- Instalación del Passport Navigator

9.-Presione "Finish"







4.- Aprovisionamiento de la Tarjeta KPC 650

1.- Haga doble click en el acceso directo de la aplicación Passport Navigator







4.- Aprovisionamiento de la Tarjeta KPC 650

2.- Al desplegarse el software Passport Navigator aparecerá un mensaje para que inserte la tarjeta.

Inserte la tarjeta KPC 650 en el slot del PC







4.- Aprovisionamiento de la Tarjeta KPC 650

3.- En Tools \rightarrow Edit dial-up account configure el usuario y clave para acceso a internet.

			_ X
	dd dial-up account dd dial-up account lit dial-up account elete dial-up account	PASSPORT Navigator	
	ock PC Card ower <u>o</u> ff	k Connections	
	eferences High speed		Tat
	QNC (14.4Kbp Low speed	os)	Tatl
	0 kB sent	0 kB received	CONNECT 0 kB total
Network Activit	y: Not connected		1 1 - 00:00:00



4.- Aprovisionamiento de la Tarjeta KPC 650

- 4.- Complete la informacion en cada campo:
- Connection Name = EVDO
- User Name = <u>1234567@cantv.net</u>

• **Password** = Clave de datos (Suministrada por herramienta de *Aprovisionamiento de usuarios CDMA* en la intranet)

• Dial String = #777

Presione "OK"

K AC	ICERA	PASS Navi	PORT gator
0	Wireless	Network Connecti	ons
NECTIONS	1x-EVDO		, Ta
	Edit connection -	1x-EVDO	×
2	Connection Name:	1x-EVD0	
NECTIONS	User Name:	6327860@cantv.net	
ISTORY	Password:	****	
	Dial String:	#777	CONNECT
	1	OK Ca	ncel
			0 kB
	sent	received	total
2.	sent	received	total







4.- Aprovisionamiento de la Tarjeta KPC 650

5.-En Tools \rightarrow Preferences se debe forzar a la tarjeta a conectarse a la red EVDO

file Yiew I	pols Help Add dial-up account	PASSPO	_ X
	Edit dial-up account Delete dial-up account Lock PC Card Power off	Navigato k Connections	or
CONNECTIC	Preferences		Tail
	QNC (14.4Kb Low speed	ps)	Y
	0 kB sent	0 kB received	0 kB total



X Preferences General Show Welcome Screen Start in System Tray Launch at Windows Startup Set TCP window size to 64kB Roaming C Home Only @ Auto C Roam Only -System mode: C 1xRTT C QNC · EVDO Redialing Enable Redialing Option Attempts: 3 ÷ -Time between attempts: 3 seconds Ok Cancel

4.- Aprovisionamiento de la Tarjeta KPC 650

6.-En System Mode \rightarrow Colocar Evdo si se encuentra en zona de cobertura Evdo de lo contrario colocar 1xRTT.

Presionar OK





4.- Aprovisionamiento de la Tarjeta KPC 650

7.-Verifique que este colocado en la conexión EVDO creada y que el nivel de señal sea óptima.

Presionar Conectar

ERd	Navigat	or
Conexiones d 1x-EVDO Alta velocidad	le recalámbric	a Tul
QNC (14.4K): Baja velocidad	ops)	¥
0 kB enviado	0 kB recibido	CONECTAR 0 kB total





11111111 _ X Archivo Ver Herramientas Ayuda PASSPORT **KYOCERa** Navigator 1x-EVDO CONEXIONES Estado: Conectado Duración: 00:00:05 Intensidad de señal: Lul DESCONECTAR 1.32 kB 0.54 kB 1.86 kB recibido total enviado Actividad de Red: 1xEVDO Tul 🖂 🖻 📬 🥅 00:00:05

4.- Aprovisionamiento de la Tarjeta KPC 650

7.-Presione desconectar para culminar su sesion.

